



IP PDU Control Unit with 8x IEC320 C13 sockets

Art. No.: PDU8P01

Technical Features

8 power outputs, total current 16 A/32 A

Current and voltage (total input) measurement

Built-in temperature and humidity sensor to monitor the use environment of the equipment

Embedded technology, support Java, web browsing

Two level values of warning and overload can be set

Setting the power on delay time of each circuit can effectively prevent the impact of current surge on the power supply system

LED indicates the power supply status of each switch

LCD digital display shows the current voltage and current values

Provide local operation query button of PDU device

Built-in lightning protection circuit, anti-voltage surge circuit, effective protection of the server



PDU8P01



4 052792 046427


Made in China

www.2direct.de



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Technical Drawings



1. Power Input Socket IEC320 C20

2. Output Socket IEC C13


3. Reset Key

4. Function Key: check the machine's IP address

5. Metal Panel: display voltage/current/temperature/humidity etc.

6. Temperature and Humidity Sensor

7. Network Port: connect to LAN or WAN



PDU8P01



4 052792 046427

Made in China

www.2direct.de



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Package Contents

1x IP PDU Control Unit with 8x IEC320 C13 sockets

1x Power Cable IEC 320, C19 to C20, 2 m

Packaging Information

Packing Dimension	485 x 200 x 90 mm
Packing Weight	2.4 kg
Carton Dimension	520 x 430 x 300 mm
Carton Q'ty	6 pcs
Carton Weight	15 kg

PDU8P01



Made in China

www.2direct.de



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.