LogiLink®
PROFESSIONAL

17" LCD 1-Port KVM Console DE/US Keyboard Layout

The 1-Port KVM console features an integrated 17" HD LCD monitor with 101-key keyboard and touchpad in 1U Rack-mountable housing. Designed for use with a server or a KVM switch with PS/2 console connectors.

Technical Features

Integrated 1-port KVM console featuring a 17" HD LCD monitor, 101-key keyboard and touchpad

17" HD LCD with the maximum resolution of 1600x900@60 Hz

1U heavy-duty steel housing; supports the shortest mounting depth 360 mm

Comes with front USB, folding handles and screw locking design

Two level password protection

Easy to switch via front buttons of panel, hot keys and OSD (On-Screen-Menu)

Support PS/2 and USB with auto detection

External power supply

Art-No.	Keyboard Layout	EAN Code
LC0004GE	DE	4052792063479
LC0004US	US	4052792063493

www.2direct.de

RoHS compliant

LogiLink PROFESSIONAL

Specification

Computer Connector	Direct Connect	1	
	Maximum Connects	16	
CPU Ports Selection	OSD Menu, Front Panel Buttons, hotkeys		
OSD Switch Default	Ctrl+Ctrl		
Hotkey Switch Default	Alt+Alt+Num.(01–08)		
Connectors	Console Connector	Monitor	17" wide LED screen
		Keyboard	1x USB-A female
		Mouse	1x USB-A female
		Extension Port	1x USB-A Female (front extension keyboard port, mouse port)
	PC Connector	Monitor	
		Keyboard	1x VGA DB15 blue female
		Mouse	
	Power		AC 100–250 V, DC 12 V/ 4 A
Key Switch	Connection Port Selection		KVM operation panel digital keys
	KVM Reset		KVM operation panel function keys
LED's Selected	Two-digit digital tube display LED indicator		
LED's Online	1x Red		
Analog Mode	Keyboard/Mouse	USB, PS2	
Mouse	Touchpad mouse		
Keyboard	101-key		
Max Resolution	1600x900@60Hz		
Scan Time Interval	3, 5, 10, 15, 20, 30, 40, 60 seconds (3 seconds by default)		
Operation Environment	Operation Temperature	0–50°C	
	Storage Temperature	-20–60°C	
	Humidity	0–80% RH (no condensation)	
Physical Properties	Housing	Metal	
	Dimensions	360x445x45 mm	
	Color	Black	
	Weight	9.96 kg	

LogiLink
PROFESSIONAL

Package Contents

1x 17" LCD 1-Port KVM Console

1x KVM Dedicated Connection Cable

1x Power Adapter

1x Power Cord

1x Rack Mounting Kit

1x Screw Package

1x User Manual

Packaging Informations

Packing Dimension	595x540x165 mm
Packing Weight	12.29 kg
Carton Dimension	595x540x165 mm
Carton Q'ty	1 pcs
Carton Weight	12.29 kg