



Waterproof Fiber Optic Simplex SC Connector

Technical Features

Built to protect 10G fiber SC/SC connections in harsh industrial and outdoor environments

Simplex SC female pass-thru to female simplex SC connectors

Mounts case side to enclosure or panel (FA05SX1/FA05SX2)




With gasket seals protection

IP68 waterproof resists dust and endures immersion in 1.5 m of water up to 60 min

Housing material: PA66


Sealing ring: Silicon

Black color, RAL9005



Art no.	Product Contents	EAN Code	Picture
FA05SX1	Fiber optic Simplex SC connector with dust cap	4052792070187	
FA05SX2	Fiber optic Simplex SC connector with cable gland and dust cap	4052792070194	
FA05SX3	Fiber optic Simplex SC connector with 2x cable glands	4052792070200	

Technical Drawings


FA05SX1



FA05SX2



FA05SX3



Packaging Information

Art. no.	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
FA05SX1	100 x 80 x 26 mm	0.018 kg	350 x 260 x 280 mm	200 pcs	4.4 kg
FA05SX2	176 x 110 x 26.1 mm	0.033 kg	350 x 260 x 280 mm	200 pcs	7.5 kg
FA05SX3	182 x 110 x 26.2 mm	0.046 kg	520 x 350 x 215 mm	200 pcs	11.2 kg