LogiLink

Magnetic Wireless Car Charger with Air Vent Mount

Art. No.: PA0333

Ultra Stable & Safe On the Road Snap and Charge iPhone® 15/14/13/12 series with MagSafe® or MagSafe[®] case & Qi-enabled Android phones* wirelessly! 79% Charged Car & Extra Wireless 15 W 360° One-hand Metal Ring Overvoltage Magnetic Charging Protection Truck Positioning Output Rotation Operation Stable Included



Universally Compatible



Suitable for iPhone[®] 15/14/13/12 series (with MagSafe[®] or MagSafe[®] cases)





Suitable for iPhone[®] 11, X, 8, SE 2/SE 3 series, Samsung, LG, Google, HTC and other Qi-enabled Android mobile phones with included metal ring.



Efficient Fast Wireless Charging

Provides up to 15 W wireless charging for iPhone[®] & Qi-enabled Android phones. Works with LogiLink PA0201, PA0252 QC 3.0 18 W or above car chargers.

360° Rotatable Phone Mount


The phone mount can rotate 360° for perfect viewing angles.





Sturdy Air Vent Mount With Extra Support

Easily attach to most flat blade air vent, and provide stability on uneven roads.



Specification:


Input	USB-A male port: 5 V/3 A (15 W), 9 V/2 A (18 W)
Wireless Charging Output	5 W, 7,5 W, 10 W, 15 W max.
Mount Type	Air Vent
Weight Capacity	Up to 0.5 kg
Cradle Rotation	360°
Protections	Overvoltage
Compatibility	WPC Qi 1.2.4 standard and A11 coil
Operating Temperature	0–30°C
Operating Humidity	5–90% RH (non-condensing)
Color	Black
Housing Material	ABS
Cable Length	1.5 m
Metal Ring Dimensions	Ø5.5 x 0.05 cm
Dimensions	8 x 7.5 x 6.05 cm (without cable)
Weight	78 g

Package Contents:

- » 1x Wireless Car Charger
- » 1x Air Vent Mount
- » 1x Metal Ring
- » 1x User Manual

Package Information:

- » Packing Dimension: 82 x 63 x 88 mm
- » Packing Weight: 0.08 kg
- » Carton Dimension: 345 x 330 x 200 mm
- » Carton Q'ty: 40 pcs
- » Carton Weight: 5.2 kg



Metal Ring Size

() Remove any device attached on the adaptor before starting the car to avoid damage to the electronic device. Please check your gadget power requirement and compatibility.



