



LogiLink®

20 W 2-Port USB Charger
1x USB-C PD Port & 1x USB-A Port

Art. No.: PA0320
PA0320SB

**Compact
& Powerful**



The best charging partner for all smartphones with its 20 W output power. You can rapidly charge two devices with USB-C PD 3.0 and USB-A QC 4.0 ports. It is compact and lightweight for easy portability and storage.



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.





Fast charging of two devices with USB-C PD 3.0 and USB-A QC 4.0 ports at the same time.




Supports PPS (Programmable Power Supply) charging and adjusting the output power in real-time, depending on device's charging status, feeding it with maximum power.




Extremely safe-comes with overcurrent, overvoltage, overheating and short circuit protections.



Compact size makes it lightweight and easily fits into your laptop bag or backpack. The perfect mobile accessory for traveling.



Widely compatible with most USB-C and USB-A devices such as smartphones, tablets and much more.



Specification:

Input	100–240 V AC 50/60 Hz 1 A
Output	USB-A: 5 V/3 A (15 W), 9 V/2 A (18 W), 12 V/1.5 A (18 W max.) USB-C: 5 V/3 A (15 W), 9 V/2.22 A (19.98 W), 12 V/1.67 A (20 W max.) USB-A + USB-C: 5 V/3 A (15 W max.) PPS: 3.3–5.9 V/3 A (18 W), 3.3–11 V/1.8 A (20 W max.) Max. total output: 20 W
Power Delivery	PD 3.0
Quick Charge	QC 4.0
Efficiency	Level VI
Protections	Overcurrent, overvoltage, overheating and short circuit
Operating Temperature	0–40 °C
Operating Humidity	25–90% (non-condensing)
Color	White
Dimensions	7.5 x 3.3 x 3.3 cm (with plug)
Weight	49 g

Art-No.	Quantity	EAN Code
PA0320	1 pc	40529071924
PA0320SB	20 pcs set	40529071931



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Made in China

Package Contents:

- » 1 x USB Wall Charger (PA0320) or
20 x USB Wall Chargers (PA0320SB)
- » 1 x User Manual

Package Information:

Art-No.	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
PA0320	75 x 40 x 95 mm	0.075 kg	335 x 235 x 290 mm	20 pcs	2.3 kg
PA0320SB	330 x 230 x 125 mm	kg	mm	pcs	kg



⚠ Proper use of the PD function can only be guaranteed in combination with certified USB cables with E-Mark chipset.

*The specifications and pictures are subject to change without prior notice.

*All trade names referenced are the registered trademarks of their respective owners.