

# LogiLink®

USB 3.2 Gen 1 Multifunction Docking Station

6 Ports


Art. No.: UA0343

The 6-port USB 3.2 Gen 1 Docking Station has compact size and easy to carry in the pocket. The perfect storage expansion to your MacBook®, laptop and Android smartphones and tablets.

#### **Features:**

- » 6-in-1 expansion ports: 1x USB-C PD, 1x USB 3.0, 1x USB 2.0, 1x SD card, 1x microSD card and 1x HDMI
- » The USB-C port is a PD (Power Delivery) interface that can be used as a power source for 60 W devices
- » Supports Android devices with DeX function, so that you can extend your smartphone into a desktop computer
- » Enables you to mirror or extend the display of your laptop through HDMI to your TV, monitor or projector with 4K x 2K resolution
- » Aluminum finish creates a natural extension to your computer
- » Supports Windows, Mac OS, iPad OS, Linux, Android and Chrome OS

























Enables you to mirror or extend the display of your laptop through HDMI to your TV, monitor or projector with 4K2K resolution.

Extends your Android smartphone into a desktop computer with DeX function.



### **Specifications:**

Sp 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
Connection 1	USB-C male
Connection 2	1x USB-C female, 2x USB-A female, 1x HDMI-A female, SD and microSD card readers
USB-C Standard	USB 3.2 Gen 1 (compatible with Thunderbolt 3)
USB-A Standard	1x USB 3.0, 1x USB 2.0
Data Transfer Rate	Up to 5 Gbps
PD Standard	USB-C PD 2.0
Support PD (Power Delivery)	5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/3 A (36 W), 15 V/3 A (45 W), 20 V/3 A (60 W max.)
HDMI Standard	1.4
HDCP	1.4
HDMI Resolution	Up to 4K@30 Hz
DisplayPort Alternate Mode (DP-Alt)	Connected devices must support USB-C DisplayPort Alternate Mode
3D Support	Yes
EDID Management	Yes







\*The specifications and pictures are subject to change without prior notice.
\*All trade names referenced are the registered trademarks of their respective owners.

HDMI CEC	Yes
DDC (Display Data Channel)	Yes
HEC (HDMI Ethernet Channel)	Yes
ARC (Audio Return Channel)	Yes
HDR (High-Dynamic Range)	Yes
TMDS	Yes
Color Format Support	RGB, YCbCr4:4:4, YCbCr4:2:2
Color Depth Support	8, 10, 12, 16 bit
Display Mode	Main/Extend/Mirror
Uncompressed Audio	LPCM 2.0/5.1/7.1
Compressed Audio	DTS, Dolby Digital, DTS-HD Master Audio™, Dolby TrueHD
Supporting Memory Card	SD/SDHC/SDXC/Micro SD/Micro SDHC/Micro SDXC
Memory Card Capacity	Up to 1 TB
Hot Plug and Plug & Play	Yes
Power By	USB bus powered
Standy Power Consumption	0.8 W
Housing Material	Aluminum
Color	Silver
Compatibility	Windows, Mac OS, iPad OS, Linux, Android and Chrome OS
Operating Temperature	0-45°C
Operating Humidity	25-60% RH (non-condensing)
Dimensions	$25.7 \times 3.0 \times 1.1$ cm (cable included)
Weight	55 g
Cable Length	15 cm

## **Package Contents:**

- » 1 x USB 3.2 Gen 1 Docking Station
- » 1 x User Manual

### **Package Information:**

» Packing Dimension: 165 x 75 x 25 mm

» Packing Weight: 0.075 kg

» Carton Dimension: 520 x 320 x 185 mm

» Carton Q'ty: 80 pcs» Carton Weight: 6.6 kg





