

# **LogiLink**<sub>®</sub>

## Mobile EV Charging Station

Safety Plug CEE 7/7 to Type 2 Plug with Protection Bag, 5 m

Art. No.: EVL0100

Safely charge your electric cars on any 230 V household outlet with LogiLink Mobile EV Charging Station. Suitable for charging plug-in hybrid (PHEV) and battery electric vehicles (BEV) on the road and at home.

#### **Features:**

- » Portable charging solution with Safety plug CEE 7/7 to Type 2 plug
- » Fast charging with max. 3.6 kW/16 A
- » 5 selectable charging powers and is easy to operate
- » Clear control display providing information about the current charging process
- » IP67 for the control box and multiple charging protections



#### **Specifications:**

Connector 1	Safety plug CEE 7/7			
Connector 2	IEC 62196-2 Type 2 charging plug, female			
Nominal Voltage	230 V~ 50 Hz			
Selectable Current	6 A/8 A/10 A/13 A/16 A			
Charging Mode	Mode 2			
Connection	Single Phase			
Protection Class	IP67 for the control box			
Operating Temperature	-30-50°C			
Operating Humidity	5–95% RH (non-condensing)			
Cable Type	H07BZ5-F 3*2.5 mm <sup>2</sup> +1*0.5 mm <sup>2</sup> , PUR			
Cable Length (Include Plug)	5 m			
Dimensions	22 x 8.5 x 5.4 cm (control box)			
Weight	Approx. 2.1 kg			
Color	Black			
Charging Protections	Overvoltage, undervoltage, overcurrent and over-temperature			
Standard	IEC 62196-1, IEC 62196-2, EN 50620:2017/A1:2019, IEC 60332-1-2, IEC 61851, IEC 60811-404, IEC 60754-2, IEC 60068-2-5			



#### **Available Connectors:**

Art-No.	EVL0100FR	EVL0100UK	EVL0100SW	EVL0100DK	EVL0100IT
Plug Drawing	27-35, TI SIGN WA TI	The state of the s			ZH-82 <b>©</b> O O O O O O O O O O O O O O O O O O O
Country	France	UK	Switzerland	Denmark	Italy
Cable	H07BZ5-F 3*2.5 mm², PUR	H07BZ5-F 3*2.5 mm², PUR	H07BZ5-F 3*2.5 mm², PUR	H07RN-F 3*1.5 mm <sup>2</sup>	H07RN-F 3*1.5 mm <sup>2</sup>

### **Package Contents:**

- » 1 x Household Charging Cable
- » 1 x Protection Bag
- » 1 x User Manual

#### Package Information:

» Packing Dimension: 360 x 360 x 90 mm

» Packing Weight: 2.4 kg

» Carton Dimension: 380 x 380 x 380 mm

» Carton Q'ty: 4 pcs» Carton Weight: 9.7 kg







